

1. Granulome pyogenique recidivant avec satellites multiples de

Warner & Wilson Jones. Tsoitis G., Haidemenos G., Milios G., **Lefaki I.**, Lambroudi M. Medicine et Hygiene 43, 916-921, 1985.

2. Lichen plan folliculaire tumidus retro-auriculaire bilateral.

Tsoitis G., **Lefaki I.**, Lambroudi M., Asvesti C., Podas T. Ann Dermatol Venereol 114 (12):1456-1458, 1987.

3. Elastolyse acquise en nappe du derme moyen.

Moulouquet- Michau I., Kapetis E., **Lefaki I.**, Marinho E., Blanchet-Bardon C., Civatte J. Ann Dermatol Venereol 117 (11):911-913, 1990.

4. "Bebe collodion" évoluant vers une ichtyose vulgaire.

Lefaki I., Stefanidou M., Siova M., Andreou A. Nouvelles Dermatologiques 10(5):385-386, 1991.

5. Epithelioma basocellulaire developpe sur une verrue seborrheique.

Minas A., **Lefaki I.**, Teknetzis A., Stefanidou M. Nouvelles Dermatologiques 10(7):580-582, 1991.

6. Tumeur glomique geante solitaire ressemblant a un granulome pyogenique.

Minas A., **Lefaki I.**, Vakali G., Stefanidou M. Nouvelles Dermatologiques 11(6):395-399, 1992.

7. Hamartome cutane musculaire lisse.

Lefaki I., Kapetis E., Seireka Th., Amaxopoulos C. Nouvelles Dermatologiques 11(6):403-406, 1992.

8. Acne fulminans.

Minas A., **Lefaki I.**, Stefanidou M., Printzis S. Nouvelles Dermatologiques 11(8):530-532, 1992.

9. Acanthosis nigricans-like lesions after local application of fusidic acid.

Teknetzis A., **Lefaki I.**, Ioannides D., Minas A. J Am Acad Dermatol -Venereol, 28(3):501-502, 1993.

10. Sclerodermie et carcinome du sein.

Lefaki I., Stefanidou M., Tsirintanis J., Boura P., Minas A. Nouvelles Dermatologiques 12(9): 653-657. 1993.

11. Cutaneous Borreliosis in Northern Greece.

Lefaki I., Kalogeropoulou A., Stefanidou M., Kapetis E. J Eur Acad Dermatol-Venereol 2(2):121-127, 1993.

12. Dermatoses retro-auriculaires a type de grains de milium en plaque.

Tsoitis G., Papadimitriou C., Asvesti C., **Lefaki I.**, Lambroudi M., Hatzibougias J., Babi A. Ann Dermatol Venereol 120(1):58-64, 1993.

13. Widespread cutaneous angiolymphoid hyperplasia with eosinophilia.

Minas A., **Lefaki I.**, Teknetzis A., Papagarifalou J. J Eur Acad Dermatol -Venereol 6(3):274-277, 1996.

14. Necrobiose Lipoidique Perforante: Deux Observations.

Lefaki I., Vakali G., Mourellou O., Stefanidou M., Kapetis E. Ann Dermatol Venereol 123(11): 742-744, 1996.

15. Double-blind clinical study reveals synergistic action between alpha-hydroxy acid and betamethasone lotions towards topical treatment of scalp psoriasis. K. Kostarellos, A. Teknetzis, I. Lefaki, D. Ioannides, A. Minas. J Eur Acad Dermatol Venereol 14(1): 5-9, 2000

16. Low -dose schema of isotretinoin in acne vulgaris.

Mandekou-Lefaki I., Delli F., Teknetzis A., Euthimiadou R., Karakatsanis G. Int J Clin Pharm Res 23(2/3): 41-46, 2003.

17. Successful treatment of seborrheic keratosis with imiquimod 5% cream.

Mandekou-Lefaki I., Delli F., Teknetzis A., Kastanis A., Mourellou-Tsatsou O. Int J Immunotherapy 20 (1): 23-28, 2004.

18. Pyogenic granulomas following topical application of tretinoin.

A.Teknetzis, D. Ioannides, G. Vakali, **I. Lefaki**, A. Minas. J Eur Acad Dermatol Venereol 18(3): 337-340, 2004.

19. Impetigo Herpetiformis

Chaidemenos G, **Lefaki I**, Tsakiri A, Mourellou O. J Eur Acad Dermatol Venereol 19(4):466-469, 2005.

20. Imiquimod 5% cream. A new treatment for Bowen's disease.

Mandekou-Lefaki I, Delli F., Koussidou-Eremondi Th., Karakatsanis G., Mourellou-Tsatsou O, Dionyssopoulos A. Int. J. Tissue. React 27(1): 31-38, 2005.

21. Clinical experience of locating the sentinel lymph node in cutaneous melanoma.

Oikonomou S., Dimasis A., Zafiriou G., Kokkoli E., Iosifidou S., Giavroglou I., **Lefaki I**,

Hatzigeorgiou N. Surgical Chronicles 10(1):26-33, 2005.

22. Primary cutaneous MALT type lymphoma and Helicobacter pylori. A possible relationship. Mandekou-Lefaki I, Delli F., Kountouras I., Tsakiri A.. J Eur Acad Dermatol Venereol 20 (5):606-608, 2006.

23. Transient acantholytic dermatosis (Grover's disease) in a renal transplant patient.

Boutli F., Voyatzis M., **Lefaki I**, Chaidemenos G., Kanitakis J. J Dermatol Mar 33(3):178-81, 2006

24. Eosinophilic cellulites (Wells syndrome) as a cutaneous reaction to the administration of Adalimumab.

Boura P., Sarantopoulos A., **Lefaki I**, Skendros P., Papadopoulos P. Ann Rheum Dis Jun; 65(6):839-40,2006

25. Extramammary Paget Disease: Isolate localization on the groin. Wide local excision with Immediate Reconstruction

Dionyssopoulos A., **Mandekou-Lefaki I**, Vakirlis E., Manoliadis I, Nikolis A., Dionyssopoulou E, Ann Surg Oncol Sept 13(9):1235-40, 2006

26. T and B cutaneous pseudolymphomas treated by surgical excision and immediate reconstruction.

Dionyssopoulos A., **Mandekou-Lefaki I**, Delli F., Kourtis D., Nikolis A., Dionyssopoulou E., Nikopoulos K.

Dermatologic Surgery 2006 Dec;32(12):1526-9

27. Primary MALT Type Skin Lymphoma-Is 'Wait and See' a Possible Strategy?

Delli FS, Zaraboukas T, **Mandekou-Lefaki I**. Clin Med Oncol. 2008;2:153-8

28. Annular lichenoid dermatosis of youth. Tsoitis G, Kanitakis J, Kyamidis K, Asvesti K, **Lefaki I**.

J Eur Acad Dermatol Venereol. 2009 Nov;23(11):1339-40.

29. Skin cancer: preventive photodynamic therapy in patients with face and scalp cancerization. A randomized placebo-controlled study. Apalla Z, Sotiriou E, Chovarda E, **Lefaki I**, Devliotou-Panagiotidou D, Ioannides D. Br J Dermatol. 2010 .

30. Sweet's syndrome associated with upper respiratory tract streptococcal infection: "wait-and-see" strategy or anecdotal use of corticosteroids? Lallas A, Tzellos TG, Papageorgiou M, **Mandekou-Lefaki I**. Hippokratia. 2011 Jul;15(3):283.

31. Dermoscopy of solitary cylindroma. Lallas A, Apalla Z, Tzellos T, **Lefaki I**. Eur J Dermatol. 2011 Jul-Aug;21(4):645-6..

32. The impact of different fluence rates on pain and clinical outcome in patients with actinic keratoses treated with photodynamic therapy. Apalla Z, Sotiriou E, Panagiotidou D, **Lefaki I**, Goussi C, Ioannides D. Photodermatol Photoimmunol Photomed. 2011 Aug;27(4):181-5

33. Possible zoledronic acid-induced dermatomyositis. Apalla Z, Tzellos T, Lallas A, Sotiriou E, **Lefaki I.**

Clin Exp Dermatol. 2012 Apr;37(3):309-11.

34. Photoletter to the editor: Dermoscopy of granuloma faciale. Lallas A, Sidiropoulos T, **Lefaki I**, Tzellos T, Sotiriou E, Apalla Z.

J Dermatol Case Rep. 2012 Jun 30;6(2):59-60.

35. Photoletter to the editor: Dermoscopy in clinically atypical psoriasis.

Lallas A, Apalla Z, Tzellos T, **Lefaki I.** J Dermatol Case Rep. 2012 Jun 30;6(2):61-2.

36. Accuracy of dermoscopic criteria for the diagnosis of psoriasis, dermatitis, lichen planus and pityriasis rosea.

Lallas A, Kyrgidis A, Tzellos TG, Apalla Z, Karakyriou E, Karatolias A, **Lefaki I**, Sotiriou E, Ioannides D, Argenziano G, Zalaudek I.

Br J Dermatol. 2012 Jun;166(6):1198-205.

37. Extensive regression in pigmented skin lesions: a dangerous confounding feature.

Lallas A, Apalla Z, Moscarella E, Zalaudek I, Tzellos T, **Lefaki I**, Cota C, Argenziano G.

Dermatol Pract Concept. 2012 Apr 30;2(2):202-208

38. Dermoscopy of discoid lupus erythematosus.

Lallas A, Apalla Z, **Lefaki I**, Sotiriou E, Lazaridou E, Ioannides D, Todorovic-Zivkovic D, Sidiropoulos T, Konstantinou D, Di Lernia

V, Argenziano G, Zalaudek I. Br J Dermatol. 2013 Feb;168(2):284-8.

39. Photoletter to the editor: Dermoscopy for discriminating between pityriasis rubra pilaris and psoriasis.

Lallas A, Apalla Z, Karteridou A, **Lefaki I.** J Dermatol Case Rep. 2013 Mar 30;7(1):20-2.

40. Letter: Immunocryotherapy for difficult-to-treat basal cell carcinoma of the eyelid.

Apalla Z, Karteridou A, Lallas A, Tzellos T, **Lefaki I**, Sotiriou E, Varytimiadis D.

Dermatol Surg. 2013 Jan;39(1 Pt 1):146-7

41. Dermoscopy of early stage mycosis fungoides.

Lallas A, Apalla Z, **Lefaki I**, Tzellos T, Karatolias A, Sotiriou E, Lazaridou E, Ioannides D, Zalaudek I, Argenziano G.

J Eur Acad Dermatol Venereol. 2013 May;27(5):617-21.

42. Cutaneous metastases from primary internal malignancies: a retrospective study from a tertiary dermatological center in

Northern Greece. Papadopoulos I, Ioannides D, Lefaki I Hippokratia. 2014 Apr;18(2):187

43. Secondary perforating dermatosis in an infant with primary hyperoxaluria type I. **Lefaki I**, Papageorgiou M, Karteridou A, Dotis

J, Koteli C, Printza N, Papachristou F. Eur J Dermatol. 2014 Mar-Apr;24(2):254-5

44. Imiquimod as neoadjuvant treatment for giant keratoacanthoma arising on a background of lupus vulgaris.

Tsikeloudi M, Lallas A, Sidiropoulos T, Chasioti V, **Lefaki I**, Apalla Z. Clin Exp Dermatol. 2014 Jan;39(1):60-2.

45. Applicability of dermoscopy for evaluation of patients' response to nonablative therapies for the treatment of superficial basal cell carcinoma.

Apalla Z, Lallas A, Tzellos T, Sidiropoulos T, **Lefaki I**, Trakatelli M, Sotiriou E, Lazaridou E, Evangelou G, Patsatsi A,

Kyrgidis A, Stratigos A, Zalaudek I, Argenziano G, Ioannides D. Br J Dermatol. 2014 Apr;170(4):809-15

46. Onychomadesis after hand-foot-and-mouth disease outbreak in northern Greece: case series and brief review of the literature.

Apalla Z, Sotiriou E, Pikou O, **Lefaki I**, Lallas A, Lazaridou E, Ioannides D. Int J Dermatol. 2015 Sep;54(9):1039-44

47. An unusual lesion in the right place.

Theodosiou G, Zafeiriadou V, Papageorgiou M, **Mandekou-Lefaki I**. Dermatol Pract Concept. 2016 Jul 31;6(3):7-9

48. Eruptive syringomas: unresponsiveness to oral isotretinoin.

Papageorgiou M, Theodosiou G, **Mandekou-Lefaki I**. Int J Dermatol. 2017 Feb;56(2):e38-e39.

49. Successful treatment of hypertrophic lichen planus with betamethasone under occlusion and TCA-peelings.

Theodosiou G, Papageorgiou M, Vakirlis E, **Mandekou-Lefaki I**. Dermatol Ther. 2016 Sep;29(5):338-340.

50. Successful response in a case of severe pustular psoriasis after interleukin-1 β inhibition.

Skendros P, Papagoras C, **Lefaki I**, Giatromanolaki A, Kotsianidis I, Speletas M, Bocy V, Theodorou I, Dalla V, Ritis K.

Br J Dermatol. 2017 Jan;176(1):212-215

51. A multicenter, prospective, observational study examining the impact of risk factors, such as BMI and waist circumference, on quality of life improvement and clinical response in moderate-to-severe plaque-type psoriasis patients treated with infliximab in routine care settings of Greece.

Petridis A, Panagakis P, Moustou E, Vergou T, Kallidis P, **Mandekou-Lefaki I**, Chaidemenos G, Sotiriadis D, Alexopoulou G, Haratsis Y, Antoniou C.

J Eur Acad Dermatol Venereol. 2018 Jan 22